

## **Historic, archived document**


Do not assume content reflects current scientific knowledge, policies, or practices.



62.57  
The Bellevue Nursery

1897--98

TRADE-LIST OF  
AMERICAN



# Plants and Shrubs



Cypripedium acaule. (See page 7.)

COLLECTED AND GROWN BY

WM. F. BASSETT & SON

HAMMONTON    ♣    New Jersey, U. S. A.

# REMARKS.

---

**T**HE PAST SEASON has been one of the best we have had in many years, having had no drought. Everything has made a good growth. In consequence, we can offer the finest lot of shrubs and plants we have ever grown. We have a particularly fine stock of the following shrubs:

**CLETHRA ALNIFOLIA,  
ANDROMEDA MARIANA,  
" ARBOREA,  
CHIONANTHUS VIRGINICA,  
ROSA LUCIDA,**

**SYMPHORICARPOS VULGARIS,  
LYCIUM VULGARE,  
MAGNOLIA GLAUCA,  
AZALEA VISCOSA,  
ROSA CAROLINA.**

Our specialty is collecting plants from their native haunts. We spare neither time nor expense in hunting the best localities where good, young, thrifty plants of the different species can be found. We collect plants in New Jersey, Pennsylvania, Delaware and Maryland. This collecting is all done by skilled men in our employ. The plants so obtained are not to be compared with "cheap collected plants," pulled up by irresponsible parties, at so much per thousand. Our plants are carefully handled from the time they are dug until they reach the purchaser.

## TO OUR EUROPEAN FRIENDS.

We have a good list of European customers, which is growing every year. To those intending to purchase American plants, we would point out the advantage of getting stock that has been freshly dug, and not kept in storage. Our plan of collecting stock as it is wanted enables us to send all plants in a fresh, growing condition. Where possible, it is better for our European customers to order in the Fall as it enables us to ship everything in a dormant condition. Where an order covers a long list of plants, it always takes some time to collect them. Often, to get together a single order, our collectors must travel several hundred miles. We are enabled to do this by handling a large quantity of plants in the aggregate. Our packing is done very carefully, and we ship plants to all European countries with great success.

---

## TERMS.

**THE PRICES** in this Catalogue are net, except that when cash is sent with the order 5 per cent may be deducted. Orders for 6, 50 and 500 are billed at the rates per dozen, 100 and 1,000. Where long lists of plants are wanted in less lots than 6 of a kind, prices must be taken from our Retail Catalogue, from which we allow the trade 20 per cent discount.

**COLLECTED PLANTS.** This is our specialty. We aim to get the very best plants obtainable, especially in those species that are difficult to transplant. It must be remembered, however, that we assume no responsibility in regard to the growth of these plants, other than to agree to collect the best obtainable plants of the different species.

**PACKING** is done in a very thorough manner, using the best material. No extra charge is made for this except on very large stock, listed "Packing Extra."

**BILLS** are due in 30 days from date of invoice.

**ORDER EARLY.** In order to give us time to collect the plants, all orders for this class of stock should be sent in as early in the season as possible.

**WM. F. BASSETT & SON,**  
Hammonton, New Jersey, U. S. A.

# NEW PLANTS.

## NEW SNOW WHITE CENTROSEMA,

"White Lady."

In this we have one of the most beautiful of hardy climbers. The flowers are nearly 2 inches across, pure snow white, and borne in great profusion throughout the summer. The variety originated with us, and was obtained by selection. The flowers are shaped like immense sweet peas, only inverted. We have tested it here for 3 years, and we are fully satisfied that it is a plant of great value. It grows freely from roots, which we offer at \$1.50 per doz., \$8 per 100.

## NEW VARIEGATED CENTROSEMA,

"Feathered Gem."

This also originated with us, and is a lovely form, with deep blue flowers broadly banded with white. This white band is more or less feathered into the blue, making a rich combination. It is very distinct, and we can highly recommend it. Both this and the last make rich growing vines, climbing 6 to 8 feet. Strong roots, \$1.50 per doz., \$8 per 100.

## NEW TYPE CENTROSEMA.

(Seed.)

This strain of seed produces about one-third each of the pure snow white form, the bordered form and the common blue. The plants of the white form can be distinguished as soon as up by their light-colored foliage. This seed is large, plump, and dark colored. It is saved from the "Feathered Gem" form. We offer this strain of seed at \$18 per lb., \$5 per  $\frac{1}{4}$  lb.



NEW SNOW WHITE CENTROSEMA.

## SEED OF THE PURE WHITE FORM.

The Pure White form is a very sparing seeder, and is of inferior quality and light colored. We have a moderate amount of it, on which we will quote price on application.

**NEW DOUBLE RUDBECKIA,****"Golden Glow."**

This proves to be a very distinct and beautiful plant. The flowers are 3 inches in diameter and round as a ball. It grows from 4 to 6 feet high, and is covered with these immense golden balls. It is valuable as a cut flower, or as a border plant. We offer strong, field-grown plants at 80 cts. per doz., \$5 per 100, \$40 per 1,000.



NEW DOUBLE  
RUDBECKIA.

with foliage more like *T. erectum*. The flowers are very large, and vary from light pink to deep rose when they open, afterward turning to deeper rose. We have bloomed about 3,000 of them, with *T. grandiflorum* for comparison, and find it in every way a more desirable Trillium, growing much stronger and making more flowers to a plant, while the color is remarkably distinct. 75 cts. per doz., \$4 per 100.

**SPIRÆA TOMENTOSA ALBA.**

A new *Spiræa tomentosa*, with pure white flowers. It is a distinct and valuable addition to the list of Spiræas. Transplanted plants, \$1 per doz., \$6 per 100.

**TRILLIUM GRANDIFLORUM ROSEUM.**

A distinct form of *Trillium grandiflorum*, with flowers varying from light pink to deep rose. This new Trillium was discovered by us in 1894, and since then we have fully tested it to satisfy ourselves of its merit. We believe it to be a very distinct variety, and possibly a distinct species. It is a very strong grower, with bulbs twice the size of *T. grandiflorum*, and

**CRIMSON EYE HIBISCUS.**

This is the finest type of the hardy *Hibiscus moscheutos*. It was introduced by us in 1891, and has taken its place as a standard plant. The flowers are of immense size, often 8 inches in diameter, snow white, with a large, velvety crimson spot in the center. The type sent out by us is remarkable for the size and fullness of the flowers, the purity of the white, and the richness of the crimson spot. No other form yet offered can compare with it in beauty. We offer strong, 2-year plants, very heavy, at 60 cts. per doz., \$2.50 per 100, \$18 per 1,000. Lighter plants, for mailing, 50 cts. per doz., \$2 per 100, \$15 per 1,000. New crop seed, 30 cts. per oz., \$2.50 per lb.

**CENTROSEMA VIRGINICA.**

This is the original type of Centrosema. It is a lovely climber, with large, blue, sweet-pea-like flowers, two inches in diameter. It blooms the first year from seed. It also grows freely from roots. Good, strong roots, 80 cts. per 100, \$7.50 per 1,000. Seed, 40 cts. per oz., \$3 per lb.



SPIRÆA TOMENTOSA ALBA. (See opposite page.)

**AQUILEGIA CÆRULEA X A. CANADENSIS.**

We have a beautiful strain of these Aquilegias crossed with *A. Canadensis*. The *Canadensis* blood has produced some remarkably beautiful colors. Some are double, some semi-double, and others single. We offer strong plants at 75 cts. per doz., \$4 per 100. Seed, 35 cts per  $\frac{1}{4}$  oz., 10 cts. per trade packet.

**RUDBECKIA FULGIDA.**

This is one of the finest of the Rudbeckias. The flowers are of medium size, deep yellow, with a rich purple center or button. It grows 2 to 3 feet, and is very floriferous. Strong plants, 80 cts. per doz , \$5 per 100.

# GENERAL LIST OF HARDY PERENNIALS.

Varieties in **full-faced type** are nursery-grown; others are collected plants.

	Per doz.	100	1,000
<b>Achillea, The Pearl</b> . . . . .	\$0 40	\$2 50	\$20 00
“ <b>millefolium roseum</b> . . . . .	60	4 00	
“ <b>tomentosa</b> . . . . .	60	4 00	
<b>Aster patens</b> . . . . .	50	2 00	15 00
“ <b>concolor</b> . . . . .	75	4 00	35 00
“ <b>spectabilis</b> . . . . .	50	2 50	20 00
“ <b>nemoralis</b> . . . . .	80	5 00	
“ <b>linariifolius</b> . . . . .	50	1 50	12 00
“ <b>Tradescantii</b> . . . . .	40	2 50	20 00
“ <b>longifolius</b> . . . . .	75	4 00	
“ <b>Nova-Anglae</b> . . . . .	75	3 50	
<b>Anthemis tinctoria</b> . . . . .	75	3 50	
<b>Apios tuberosa</b> . . . . .	30	1 00	8 00
<b>Arenaria squarrosa</b> . . . . .	80	3 00	25 00
“ <b>lateriflora</b> . . . . .	I 00	6 00	
<b>Anemone nemorosa</b> . . . . .	75	3 00	
<b>Anemonella thalictroides</b> . . . . .	60	3 00	
<b>Aquilegia Canadensis</b> . . . . .	50	2 00	15 00
<b>Aquilegia cœrulea hybrida</b> . . . . .	75	4 00	
<b>Asarum Canadensis</b> . . . . .	80	5 00	
<b>Aletris farinosa</b> . . . . .	50	1 80	12 00
<b>Asclepias tuberosa</b> . . . . .	80	5 00	40 00
“ <b>obtusifolia</b> . . . . .	60	3 00	
“ <b>incarnata</b> . . . . .	50	2 50	20 00
“ “ <b>pulchra</b> . . . . .	50	2 50	20 00
“ <b>rubra</b> . . . . .	2 00		
<b>Aplectrum hyemale</b> . . . . .	80	4 00	
<b>Arisæma triphyllum</b> . . . . .	40	1 50	10 00
“ <b>dracontium</b> . . . . .	80	4 00	
<b>Acorus calamus</b> . . . . .	50	1 50	10 00
<b>Aspidium marginale</b> . . . . .	50	2 00	15 00
“ <b>thelypteris</b> . . . . .	50	2 00	15 00
“ <b>novaboracensis</b> . . . . .	50	2 00	15 00
“ <b>acrostichoides</b> . . . . .	50	2 00	15 00
“ <b>cristatum</b> . . . . .	80	4 00	
“ <b>spinulosum</b> . . . . .	75	3 00	25 00
<b>Asplenium ebeneum</b> . . . . .	50	2 00	15 00
“ <b>trichomanes</b> . . . . .	75	3 00	
<b>Adiantum pedatum</b> . . . . .	75	3 00	25 00
<b>Andropogon macrourus</b> . . . . .	50	2 00	
<b>Breweria Pickeringii</b> . . . . .	I 00	6 00	
<b>Baptisia tinctoria</b> . . . . .	75	2 50	20 00
<b>Brasenia peltata</b> . . . . .	50	2 00	15 00
<b>Botrychium Virginicum</b> . . . . .	80	4 00	



AQUILEGIA CŒRULEA  
HYBRIDA.



CYPRIPEDIUM SPECTABILE.

	Per doz.	100	1,000
<b>Boltonia latisquamae</b> . . . . .	\$0 80	\$5 00	
<b>Coreopsis lanceolata</b> . . . . .	50	2 50	\$20 00
" <b>grandiflora</b> ("Harvest Moon") . . . . .	1 00	7 50	
<b>Chrysopsis Marianna</b> . . . . .	50	2 50	20 00
" <b>falcata</b> . . . . .	75	5 00	
<b>Convallaria majalis</b> . . . . .	50	2 00	
<b>Clintonia borealis</b> . . . . .	60	3 00	
<b>Calopogon pulchellus</b> . . . . .	50	3 00	
<b>Cypripedium acaule</b> . . . . .	60	3 00	
" <b>spectabile</b> . . . . .	1 75	10 00	
" <b>pubescens</b> . . . . .	1 25	8 00	
<b>Cunilla Marianna</b> . . . . .	60	3 00	
<b>Calystegia pubescens fl. pl.</b> . . . . .	50	1 50	
" <b>sepium</b> . . . . .	40	1 00	
<b>Chelone glabra</b> . . . . .	50	3 00	
<b>Chimaphila maculata</b> . . . . .	60	3 00	
" <b>umbellata</b> . . . . .	75	4 00	
<b>Caltha palustris</b> . . . . .	60	3 00	25 00
<b>Calla palustris</b> . . . . .	75	4 00	
<b>Cimicifuga racemosa</b> . . . . .	60	3 00	20 00
<b>Claytonia Virginica</b> . . . . .	60	2 00	
<b>Cassia Marylandica</b> . . . . .	60	2 00	18 00
<b>Calamagrostis brevipilis</b> . . . . .	60	3 00	

Plants in this type are nursery-grown; in this type, collected.



CALYSTEGIA PUBESCENS. (See page 7.)

	Per doz.	100	1,000
<i>Calamagrostis Nuttallina</i> . . . . .	\$1 00	\$6 00	
<b>Centrosema Virginica</b> (roots) . . . . .		80	\$7 50
<i>Camptosorus rhizophyllus</i> . . . . .	60	3 00	
<i>Discorea villosa</i> . . . . .	60	3 00	
<b>Dracocephalum Virginicum</b> . . . . .	60	3 00	
<i>Dicentra cucullaria</i> . . . . .	60	2 00	15 00
" <i>Canadensis</i> . . . . .	75	3 00	
<i>Drosera filiformis</i> . . . . .	60	1 50	10 00
" <i>rotundifolia</i> . . . . .	60	3 00	
" <i>intermedia</i> . . . . .	60	3 00	
<i>Dentaria laciniata</i> . . . . .	60	3 00	
<i>Dicksonia pilosiuscula</i> . . . . .	60	2 00	15 00
<i>Eriocaulon gnaphalodes</i> . . . . .	50	1 50	
" <i>decangulare</i> . . . . .	60	2 00	
" <i>septangulare</i> . . . . .	75	3 00	
<i>Erythronium Americanum</i> . . . . .	60	2 50	20 00
<i>Euphorbia corollata</i> . . . . .	60	3 00	25 00
" <i>ipecacuanhæ</i> . . . . .	50	2 00	
<i>Elodes Virginica</i> . . . . .	60	3 00	
<i>Epilobium angustifolium</i> . . . . .	60	3 00	
<i>Eupatorium aromaticum</i> . . . . .	80	4 00	
" <i>ageratoides</i> . . . . .	75	3 00	

Plants **in this type** are nursery-grown ; **in this type**, collected.

**Eupatorium purpureum.** 60 cents per dozen, \$2 per 100, \$18 per 1,000.

**Eriophorum gracile.** 75 cts. per doz., \$4 per 100.

**Eriophorum Virginicum.** 60 cts. per doz., \$2 per 100.

**Eryngium Virginicum.** 75 cts. per doz., \$3 per 100, \$25 per 1,000.

**Erianthus allopecuroides.** 60 cts. per doz., \$3 per 100, \$25 per 1,000.

**Eulalia gracillima.** 50 cts. per doz., \$2 per 100, \$18 per 1,000.

**Eulalia Japonica zeb-  
rina.** 60 cts. per doz., \$2.50 per 100, \$18 per 1,000.

**Funkia lancifolia.** 60 cts. per doz., \$3 per 100.



FUNKIA THOS. HOGG.

	Per doz.	100	1,000
<b>Funkia subcordata</b> . . . . .	\$1 00		
“ Thos. Hogg . . . . .	I 25		
<b>Galactia glabella</b> . . . . .	80	\$5 00	
<b>Gillenia trifoliata</b> . . . . .	75	3 00	\$25 00
<b>Gentiana Andrewsii</b> . . . . .	I 50	6 00	
“ saponaria . . . . .	I 25	6 00	
“ angustifolia . . . . .	80	5 00	
<b>Gerardia flava</b> . . . . .	60	3 00	
“ quercifolia . . . . .	I 25	8 00	
<b>Geranium maculatum</b> . . . . .	60	2 50	
“ sanguineum . . . . .	I 00	5 00	
“ Robertianum . . . . .	I 00	4 00	
<b>Gratiola aurea</b> . . . . .	60	3 00	
<b>Houstonia cœrulea</b> . . . . .	50	2 00	
<b>Helianthus divaricatus</b> . . . . .	60	2 00	15 00
“ angustifolius . . . . .	60	3 00	
“ Orgyalis . . . . .	75	4 50	40 00
“ lœtiflorus . . . . .	60	2 50	20 00
“ giganteus . . . . .	60	3 00	



FUNKIA SUBCORDATA.

**Helianthus Maximilianii.** 80 cts. per doz., \$5 per 100.

**Helenium autumnale.** 60 cts. per doz., \$2 per 100, \$15 per 1,000.

**Hibiscus moscheutos.** 60 cts. per doz., \$3 per 100, \$20 per 1,000.

**Hibiscus moscheutos Crimson Eye.** 60 cts. per doz., \$2.50 per 100, \$18 per 1,000.

**Hibiscus moscheutos Rose Pink.** 60 cts. per doz., \$3 per 100, \$20 per 1,000.

**Hibiscus militaris.** 80 cts. per doz.

Plants in this type are nursery-grown; in this type, collected.



NYMPHÆA ODORATA MINOR. (See page 11.)

	Per doz.	100	1,000
<i>Hepatica triloba</i> . . . . .	\$0 60	\$2 00	\$15 00
“ <i>acutiloba</i> . . . . .	60	2 50	20 00
<i>Helonias bullata</i> . . . . .	85	4 00	30 00
<i>Habenaria ciliaris</i> . . . . .	75	5 00	
“ <i>blephariglottis</i> . . . . .	70	4 00	
“ <i>tridentata</i> . . . . .	75	4 00	
“ <i>cristata</i> . . . . .	1 50	8 00	
<i>Hemerocallis fulva</i> . . . . .	60	2 00	15 00
“ <i>flava</i> . . . . .	85	5 00	
“ <i>Dumortieri</i> . . . . .	85	5 00	
<i>Heuchera Americana</i> . . . . .	50	2 00	15 00
<i>Ipomœa pandurata</i> . . . . .	1 00	6 00	
<i>Iris prismatica</i> . . . . .	60	2 00	15 00
“ <i>versicolor</i> . . . . .	60	1 50	12 00
“ <i>Germanica</i> . . . . .	60	1 50	12 00
“ <i>pumila</i> . . . . .	75	2 50	
<i>Lobelia cardinalis</i> . . . . .	60	1 75	12 00
“ <i>syphilitica</i> . . . . .	75	2 00	
<i>Liatris graminifolia</i> . . . . .	50	2 00	15 00
“ <i>spicata</i> . . . . .	75	2 50	
“ <i>punctata</i> . . . . .	75	3 00	
<i>Lythrum salicaria superba</i> . . . . .	1 00	5 00	45 00
<i>Lysimachia clethroides</i> . . . . .	60	4 00	
“ <i>nummularia</i> . . . . .	60	2 00	18 00
“ <i>punctata</i> . . . . .	60	3 00	
“ <i>ciliata</i> . . . . .	60	3 00	
“ <i>quadrifolia</i> . . . . .	60	2 50	
“ <i>stricta</i> . . . . .	60	2 00	
<i>Lymnanthemum lacunosum</i> . . . . .	85	5 00	
<i>Lophiola aurea</i> . . . . .	60	3 00	25 00
<i>Lupinus perennis</i> . . . . .	75	4 00	
<i>Liparis liliifolia</i> . . . . .	1 50	8 00	
<i>Lilium superbum</i> . . . . .	75	3 50	28 00

Plants in this type are nursery-grown; in this type, collected.

- Lilium Philadelphicum.** 80 cents per dozen, \$4 per 100.  
**Mitchella repens.** 50 cents per dozen, \$1.50 per 100, \$12 per 1,000.  
**Mikania scandens.** 60 cts. per doz., \$3 per 100.  
**Mertensia Virginica.** 60 cts. per doz., \$2 per 100, \$18 per 1,000.  
**Nymphaea odorata.** 75 cts. per doz., \$3 per 100, \$25 per 1,000.  
**Nymphaea odorata minor.** 75 cts. per doz., \$3 per 100, \$25 per 1,000.  
**Nuphar advena.** 60 cts. per doz., \$3 per 100.  
**Nepeta glechoma.** 50 cts. per doz., \$2 per 100.  
**Nesaea verticillata.** 60 cts. per doz., \$3 per 100.  
**Oxalis violacea.** 60 cts. per doz., \$3 per 100.  
**Ornithogalum umbellatum.** 40 cts. per doz., \$1.50 per 100, \$10 per 1,000.



HOUSTONIA CERULEA. (See page 9.)

	Per doz.	100	1,000
<b>Orontium aquaticum</b> . . . . .	\$0 90	\$6 00	\$45 00
<b>Opuntia Rafinesquii</b> . . . . .	60	1 50	10 00
<b>Oenothera fruticosa</b> . . . . .	60	2 00	18 00
“ “ <b>major</b> . . . . .	75	3 00	
<b>Onoclea sensibilis</b> . . . . .	60	2 00	15 00
“ <b>struthiopteris</b> . . . . .	70	4 00	
<b>Osmunda regalis</b> . . . . .	1 00	6 00	50 00
“ <b>cinnamomea</b> . . . . .	1 00	6 00	50 00
“ <b>Claytoniana</b> . . . . .	85	4 00	
<b>Podophyllum peltatum</b> . . . . .	60	2 00	15 00
<b>Pyrula elliptica</b> . . . . .	60	2 00	
“ <b>rotundifolia</b> . . . . .	60	3 00	
“ <b>chlorantha</b> . . . . .	60	2 00	
<b>Pyxidanthera barbullata</b> . . . . .	75	3 00	25 00
<b>Phlox maculata</b> . . . . .	75	3 50	
“ <b>divaricata</b> . . . . .	75	3 00	25 00



ORONTIUM AQUATICUM.

- Phlox subulata.** 60 cts. per doz., \$2.50 per 100.  
**Pogonia ophioglossoides.** 60 cts. per doz., \$2 per 100.  
**Pardanthus Chinensis.** 50 cts. per doz., \$3 per 100, \$20 per 1,000.  
**Pontederia cordata.** 75 cts. per doz., \$4 per 100, \$30 per 1,000.  
**Peltandra Virginica.** \$1.50 per doz., \$8 per 100, \$60 per 1,000.  
**Pentstemon barbatus Torreyi.** 75 cts. per doz., \$4.50 per 100.

Plants in this type are nursery-grown ; in this type, collected.

*Pentstemon pubescens*. 60 cents per dozen, \$2.50 per 100, \$20 per 1,000.



SARRACENIA PURPUREA.

**Plumbago Larpenæ**. 60 cts. per doz., \$4 per 100, \$35 per 1,000.

*Panicum virgatum*. 60 cts. per doz., \$2 per 100, \$15 per 1,000.

*Phragmites communis*. 75 cts. per doz., \$4 per 100, \$35 per 1,000.

*Phegopteris hexagonoptera*. 60 cts. per doz., \$3 per 100.

*Polypodium vulgare*. 60 cts. per doz., \$2 per 100, \$15 per 1,000.

*Pteris aquilina*. 60 cts. per doz., \$2 per 100, \$15 per 1,000.

*Rhexia Virginica*. 60 cts. per doz., \$3 per 100, \$20 per 1,000.

*Rudbeckia hirta*. 60c. per doz., \$2.50 per 100, \$20 per 1,000. Per doz. 100 1,000

<b>Rudbeckia laciniata</b> . . . . .	\$0 60	\$3 00	\$25 00
“ <b>nitida</b> . . . . .	75	4 00	35 00
“ <b>speciosa</b> . . . . .	80	5 00	
“ <b>fulgida</b> . . . . .	80	5 00	
“ <b>laciniata fl. pl. (Golden Glow)</b> . . . . .	80	5 00	40 00
<b>Solidago Canadensis</b> . . . . .	60	2 50	
“ <b>tenuifolia</b> . . . . .	50	2 00	15 00
“ <b>odora</b> . . . . .	50	2 00	15 00
“ <b>sempervirens</b> . . . . .	60	2 50	20 00
“ <b>virgata</b> . . . . .	75	3 00	25 00
“ <b>puberula</b> . . . . .	60	2 50	
“ <b>altissimum</b> . . . . .	60	2 50	
“ <b>nemorialis</b> . . . . .	60	2 00	15 00
<b>Sedum acre</b> . . . . .	60	2 00	15 00
“ <b>ternatum</b> . . . . .	60	2 00	15 00
<b>Sarracenia purpurea</b> . . . . .	50	2 00	15 00
<b>Silene Pennsylvanica</b> . . . . .	75	5 00	
“ <b>stellata</b> . . . . .	60	3 00	
<b>Sclerolepis verticillata</b> . . . . .	75	4 00	
<b>Sabbatia lanceolata</b> . . . . .	60	3 00	25 00
“ <b>chloroides</b> . . . . .	75	4 00	
<b>Salvia lyrata</b> . . . . .	60	2 00	15 00
<b>Smilacina racemosa</b> . 75 cts. per doz., \$3 per 100, \$25 per 1,000.			
<b>Smilacina bifolia</b> . 75 cts. per doz., \$3 per 100, \$25 per 1,000.			
<b>Sagittaria variabilis</b> . 50 cts. per doz., \$2 per 100, \$18 per 1,000.			
<b>Sanguinaria Canadensis</b> . 60 cts. per doz., \$2 per 100, \$18 per 1,000.			
<b>Scirpus Eriophorum</b> . 60 cts. per doz., \$3 per 100.			
<b>Typha latifolia</b> . 60 cts. per doz., \$2 per 100, \$15 per 1,000.			




OPUNTIA RAFINESQUII. (See p. 11.)

Plants **in this type** are nursery-grown; **in this type**, collected.



TRADESCANTIA VIRGINICA.



XEROPHYLLUM ASPHODELOIDES.

	Per doz.	100	1,000
<b>Typha angustifolia</b> . . . . .	\$0 60	\$2 00	\$15 00
<b>Thalictrum dioicum</b> . . . . .	75	3 50	30 00
" <b>cornuti</b> . . . . .	75	3 00	25 00
<b>Tradescantia Virginica</b> . . . . .	60	2 50	20 00
"    " <b>alba</b> . . . . .	75	3 50	
"    " <b>fl. pl.</b> . . . . .	1 00		
<b>Tephrosia Virginica</b> . . . . .	60	2 00	18 00
<b>Trillium erectum</b> . . . . .	60	3 00	
"    " <b>album</b> . . . . .	75	4 00	
" <b>grandiflorum</b> . . . . .	60	2 50	20 00
"    " <b>roseum</b> . . . . .	75	4 00	
<b>Vernonia novaboracensis</b> . . . . .	60	2 50	20 00
<b>Viola pedata</b> . . . . .	50	1 50	10 00
"    " <b>bicolor</b> . . . . .	80	5 00	
" <b>cucullata</b> . . . . .	50	1 50	10 00
" <b>palmata</b> . . . . .	75	2 50	
" <b>primulæfolia</b> . . . . .	75	2 50	
<b>Veronica officinalis</b> . . . . .	50	2 00	18 00
" <b>cercæoides</b> . . . . .	75	3 00	25 00
<b>Woodwardia Virginica</b> . . . . .	60	2 00	15 00
" <b>angustifolia</b> . . . . .	60	2 50	20 00
<b>Xerophyllum asphodeloides</b> . . . . .	75	5 00	40 00
"    "    (Collected) . . . . .	60	2 00	15 00
<b>Yucca filamentosa</b> . . . . .	80	3 50	30 00

Plants **in this type** are nursery-grown ; **in this type**, collected.

# TREES, SHRUBS AND WOODY CLIMBERS.

Arctostaphylos uva-ursi. (Collected) . . . . . Per doz. 100 1,000  
\$0 60 \$2 00 \$15 00

Amelanchier Canadensis.  
(Collected) . . . . . 60 2 00 15 00

Amelanchier Canadensis  
rotundifolium. (Coll'ted) . . . . . 60 2 50 20 00

Amelanchier botryapium.  
(Collected) . . . . . 60 3 50 30 00

Amorpha fruticosa . . . . . 60 2 00

Acer rubrum. 4 to 5 ft. . . . . 80 4 00

" " 3 to 4 ft. . . . . 75 3 00

" " 2 to 3 ft. . . . . 50 2 50 15 00

" Pennsylvani-  
cum. 1 to 2 ft. . . . . 80 4 00

Asimina triloba. (Coll'ted) . . . . . 60 3 50 30 00

Ascyrum stans. (Coll'ted) . . . . . 60 2 00

" Cru x-Andræ.  
(Collected) . . . . . 60 2 00

Ampelopsis quin-  
quefolia. 2 years . . . . . 60 3 00

Ampelopsis quinquefolia.  
(Collected) . . . . . 50 2 00 15 00

Akebia quinata. 2 years, heavy . . . . . 75 5 00 45 00

" " 1 year . . . . . 60 4 00 35 00

Andromeda Marianna. 2 ft., bushy . . . . . 75 4 00 35 00

" " 1 ft., bushy . . . . . 60 3 00 25 00

ANDROMEDA MARIANNA. " " (Collected) . . . . . 60 2 00 15 00

" racemosa. 1 to 2 ft. . . . . 75 3 50 30 00

Andromeda racemosa. (Collected) . . . . . 60 2 50 20 00

" ligustrina. 1 to 2 ft. . . . . 75 3 50 30 00

" " (Collected) . . . . . 60 2 50 20 00

Andromeda calyculata. 1 to 2 ft. Bushy . . . . . 75 3 00 25 00

" " (Collected) . . . . . 60 2 00 15 00

" arborea. 3 to 4 ft. Fine . . . . . I 00 6 00 50 00

Andromeda arborea Per doz. 100 1,000  
2 to 3 ft. . . . . \$0 75 \$4 00 \$35 00

Andromeda polyfo-  
lia. 2 years. Bushy . . . . . 75 4 00 35 00

Azalea viscosa. 1 to  
2 ft. Bushy, in bud . . . . . I 00 7 50 60 00

Azalea viscosa. 1 ft.  
Light . . . . . 75 4 00 35 00

Azalea viscosa. (Collected) . . . . . 60 3 00 25 00


" nudiflora. (Coll'ted) . . . . . 60 3 00 25 00

Betula populifolia.  
4 to 5 ft. . . . . I 00 6 00

Betula populifolia.  
3 to 4 ft. . . . . 75 4 00

Betula populifolia. 1 to 2 ft.  
(Collected) . . . . . 50 1 50 10 00

Betula nigra. 3 to 4 ft. . . . . 75 5 00



ANDROMEDA  
CALYCVLATA.

Plants in this type are nursery-grown ; in this type, collected.

**Betula nigra.** (Collected.) 60 cents per dozen, \$3 per 100, \$20 per 1,000.

“ **lenta.** (Collected.) 60 cts. per doz., \$2.50 per 100, \$18 per 1,000.

**Baccharis halimifolia.** (Collected.) 60 cts. per doz., \$3 per 100, \$25 per 1,000.

**Corylus Americana.** (Collected.) 60 cts. per doz., \$3 per 100, \$20 per 1,000.

**Corylus rostrata.** (Collected.) 75 cts. per doz., \$4 per 100.

**Carpinus Americana.** (Collected.) 60 cts. per doz., \$3.50 per 100, \$30 per 1,000.

**Cornus florida.** 1 to 2 ft. Heavy. 75 cts. per doz., \$4 per 100.

**Cornus florida.** (Collected.) 60 cts. per doz., \$3 per 100, \$20 per 1,000.

**Cornus cericea.** (Collected.) 60 cts. per doz., \$2.50 per 100, \$20 per 1,000.

**Cornus cericea.** A special lot of collected plants. 2 to 3 ft. Bushy, with from 4 to 15

stems. Collected from upland. A fine lot . . . . . \$1 50 \$10 00

**Cornus alternifolia.** (Collected) . . . . . 60 3 00 \$25 00

“ **stolonifera.** 2 years . . . . . 1 00 6 00

“ “ 1 year . . . . . 75 4 00

“ **paniculata.** (Collected) . . . . . 60 3 00 25 00

“ **circinata.** 1 to 2 ft. . . . . 75 4 50

“ “ (Collected) . . . . . 60 3 50 30 00

**Cephalanthus occidentalis.** 1 to 2 ft. Strong . . . . . 80 4 00

“ “ (Collected) . . . . . 60 3 00 25 00

**Comptonia asplenifolia.** (Collected) . . . . . 50 1 50 10 00

**Cupressus thyoides.** (Collected.) 1 to 2 ft. . . . . 50 1 50 10 00

**Chionanthus Virginica.** 3 ft. Strong . . . . . 2 00 12 00

“ “ 2 to 3 ft . . . . . 1 25 8 00 70 00

“ “ 1 to 2 ft . . . . . 75 5 00 40 00

“ “ Seedlings, 6 to 10 in., trans. . . . . 60 3 00 25 00

“ “ “ from seed bed, 2 years . . . . . 40 1 00 8 00

**Clethra alnifolia.** 2 to 3 ft. Heavy . . . . . 80 3 50 30 00

“ “ 1 to 2 ft. Heavy . . . . . 60 2 50 20 00

“ “ (Collected) . . . . . 50 2 00 15 00

**Clematis Virginica.** 1 year. Strong . . . . . 75 3 50

“ “ (Collected) . . . . . 60 2 50 18 00

**Celastrus scandens.** 2 ft. . . . . 75 3 00 20 00

“ “ (Collected) . . . . . 50 2 00 15 00

**Ceanothus Americanus.** 1 ft., transplanted . . . . . 75 4 00



“ **AZALEA VISCOSA.** (See opposite page.)

Plants in this type are nursery-grown; in this type, collected.



ITEA VIRGINICA. (See opposite page.)

	Per doz.	100	1,000
<b>Ceanothus Americanus.</b> (Collected) . . . . .	\$0 60	\$3 50	\$30 00
<b>Cercis Canadensis.</b> (Collected) . . . . .	75	4 00	30 00
<b>Cratægus parvifolia.</b> (Collected) . . . . .	60	3 00	25 00
“ <b>crus-galli.</b> (Collected) . . . . .	75	4 50	
<b>Diospyros Virginiana.</b> (Collected) . . . . .	60	2 00	15 00
<b>Diervilla trifida.</b> 2 ft., transplanted . . . . .	75	3 00	20 00
“ “ (Collected) . . . . .	60	2 00	18 00
<b>Epigæa repens.</b> Collected seedlings, with ball . . . . .	1 00	6 00	
<b>Euonymus Americanus.</b> 2 ft., 3 years, transplanted. . . . .	75	3 50	
“ “ (Collected) . . . . .	60	2 50	20 00
“ “ <b>obovatus.</b> (Collected) . . . . .	60	2 00	18 00
“ <b>radicans.</b> 2 years . . . . .	75	3 50	
“ “ <b>variegata.</b> 2 years . . . . .	75	3 50	
“ <b>Europæus.</b> 3 to 4 ft., bushy . . . . .	1 25	5 00	
“ “ 1 to 2 ft. . . . .	60	2 50	
<b>Fagus ferruginea.</b> (Collected) . . . . .	60	2 50	20 00
<b>Fraxinus Americanus.</b> (Collected) . . . . .	75	3 00	25 00
<b>Forsythia Fortunei.</b> Transplanted, 2 to 3 ft. . . . .	75	4 00	
<b>Gaylussachia frondosa.</b> (Collected) . . . . .	60	3 00	25 00
“ <b>resinosa.</b> (Collected) . . . . .	60	2 00	15 00
“ <b>Dumosa.</b> 6 to 8 in., bushy . . . . .	75	3 50	
“ “ (Collected) . . . . .	60	2 50	20 00
<b>Gaultheria procumbens.</b> (Collected) . . . . .	40	1 50	10 00
<b>Hamamelis Virginica.</b> 1 to 2 ft., transplanted . . . . .	75	5 00	
“ “ (Collected) . . . . .	60	3 50	30 00
<b>Hypericum densiflorum.</b> (Collected) . . . . .	60	1 50	10 00

Plants in this type are nursery-grown; in this type, collected.

		Per doz.	100	1,000
<b>Hydrangea arborescens.</b>	2 ft., transplanted . . . . .	\$0 75	\$5 00	
"	" (Collected) . . . . .	60	3 00	\$25 00
<b>Hudsonia ericoides.</b>	(Collected) . . . . .	60	2 00	15 00
"	<b>tomentosa.</b> (Collected) . . . . .	60	2 50	20 00
<b>Iva frutescens.</b>	(Collected) . . . . .	60	3 00	25 00
<b>Itea Virginica.</b>	3 to 4 ft., transplanted . . . . .	1 25		
"	" 1 to 2 ft., transplanted . . . . .	60	3 00	25 00
"	" (Collected) . . . . .	50	2 50	20 00
<b>Ilex glabra.</b>	8 to 12 in. (Collected) . . . . .	60	3 00	20 00
"	" 1 ft. with ball. (Collected) . . . . .	3 00	17 00	
"	" 2 ft. with ball. (Collected) . . . . .	6 00	40 00	
"	<b>opaca.</b> 1 ft., transplanted. (Leaves removed) . . . . .	1 50		
"	" (Collected, leaves removed) . . . . .	75	3 50	25 00
"	<b>verticillata.</b> (Collected) . . . . .	85	5 00	40 00
<b>Juniperus Virginiana.</b>	(Collected) . . . . .	50	2 00	15 00
"	<b>communis.</b> (Collected) . . . . .	75	3 00	25 00
<b>Kalmia latifolia.</b>	1 to 2 ft. Bushy, transplanted . . . . .	3 00		
"	" (Collected.) 2 ft. Bushy, with ball. . . . .	2 50	20 00	
"	" (Collected.) 6 to 12 in. . . . .	60	2 50	20 00
"	<b>angustifolia.</b> 2 ft. Bushy. (Collected) . . . . .	1 25	5 00	
"	" (Collected.) 1 ft. . . . .	60	2 00	15 00
<b>Leiophyllum buxifolium.</b>	6 to 8 in. Bushy, with ball. . . . .			
"	" 3 years, transplanted . . . . .	2 50	8 00	
"	" (Collected.) 6 to 8 in. . . . .	60	2 00	15 00
<b>Ligustrum, California Privet.</b>	3 to 4 ft. . . . .	75	3 50	
"	" " 2 to 3 ft. . . . .	60	3 00	
"	" " 1 to 2 ft. . . . .	50	2 00	18 00
<b>Liquidambar styraciflua.</b>	6 to 8 ft. Fine straight trees. . . . .	3 00	20 00	
"	" 5 to 6 ft. " " " . . . . .	2 00	15 00	
"	" 4 to 5 ft. " " " . . . . .	1 25	8 00	
"	" 3 to 4 ft. " " " . . . . .	90	5 00	40 00
"	" (Collected.) . . . . .	60	2 00	15 00
<b>Liriodendron tulipifera.</b>	6 to 8 ft. Fine straight trees. . . . .	3 00	20 00	
"	" 5 to 6 ft. " " " . . . . .	2 00	15 00	
"	" 4 to 5 ft. " " " . . . . .	1 25	8 00	
"	" 3 to 4 ft. " " " . . . . .	90	5 00	40 00
"	" (Collected.) . . . . .	50	2 00	12 00
<b>Lycium vulgare.</b>	2 to 3 ft. . . . .	60	2 50	20 00
<b>Lonicera Halleana.</b>	2 years, strong . . . . .	75	4 00	35 00
"	" 1 year . . . . .	60	3 00	25 00
"	<b>brachypoda.</b> (Collected) . . . . .	60	3 00	25 00
<b>Lindera Benzoin.</b>	3 ft. Bushy. (Fine stock.) . . . . .	80	6 00	
"	" (Collected.) . . . . .	60	3 00	25 00
<b>Magnolia glauca.</b>	18 to 24 in. Bushy and fine . . . . .	2 00	10 00	
"	" 12 to 18 in. Bushy . . . . .	1 50	7 50	
"	" 8 to 12 in. . . . .	80	4 00	
"	" (Collected.) . . . . .	75	3 00	25 00
<b>Myrica cerifera.</b>	(Collected seedlings.) . . . . .	60	2 50	20 00
"	" (Collected layers.) . . . . .	60	2 00	15 00
"	<b>gale.</b> (Collected plants.) . . . . .	75	3 50	30 00

Plants **in this type** are nursery-grown ; **in this type**, collected.



HYDRANGEA ARBORESCENS. (See page 17.)

	Per doz.	100	1,000
<b>Menispermum Canadense.</b> 2 years, transplanted . . . . .	\$0 75	\$3 50	
“ “ (Collected) . . . . .	60	2 50	\$20 00
<b>Nyssa multiflora.</b> (Collected seedlings). . . . .	60	3 00	20 00
<b>Ostrya Virginica.</b> (Collected) . . . . .	75	4 50	40 00
<b>Prunus maritima.</b> (Nursery-grown seedlings.) 2 ft. . . . .	75	3 50	30 00
“ “ (Collected) . . . . .	60	2 50	20 00
“ <b>serotina.</b> (Collected) . . . . .	60	2 50	20 00
“ <b>Virginiana.</b> (Collected) . . . . .	60	3 00	25 00
“ <b>pumila.</b> (Collected) . . . . .	75	3 50	30 00
<b>Pyrus arbutifolia.</b> 1 to 2 ft., transplanted . . . . .	75	3 50	30 00
“ “ (Collected.) Fine plants . . . . .	60	2 00	18 00
“ <b>melanocarpa.</b> (Black-fruited.) A beautiful prostrate form. 2 years, transplanted . . . . .	75	3 50	30 00
“ “ (Collected) . . . . .	60	2 00	18 00
<b>Platanus Orientalis.</b> 5 to 8 ft. . . . .	I 50	9 00	
“ “ 4 to 5 ft. . . . .	I 00	7 00	
<b>Potentilla fruticosa.</b> 2 ft., transplanted. Bushy . . . . .	60	4 00	
“ “ (Collected) . . . . .	50	2 50	20 00
<b>Pinus rigida.</b> (Collected seedlings) . . . . .	50	I 50	12 00
“ <b>mitis.</b> (Collected seedlings) . . . . .	50	I 50	12 00
“ <b>inops.</b> (Collected seedlings) . . . . .	75	2 00	15 00
<b>Rhus copallina.</b> 2 ft., transplanted. Bushy . . . . .	80	3 50	
“ “ (Collected). . . . .	50	2 00	15 00
“ <b>glabra.</b> (Collected) . . . . .	75	2 50	18 00
“ <b>typhina.</b> (Collected) . . . . .	75	2 50	20 00
<b>Robinia hispida.</b> (Collected) . . . . .	60	3 00	25 00
<b>Rubus odoratus.</b> Transplanted . . . . .	75	3 00	
“ “ (Collected) . . . . .	50	2 00	15 00
“ <b>hispidus.</b> Transplanted . . . . .	75	2 00	
“ “ (Collected) . . . . .	50	I 50	10 00
“ <b>Canadensis.</b> (Collected) . . . . .	50	I 50	10 00
“ <b>cuneifolius.</b> (Collected) . . . . .	50	2 00	15 00

Plants in this type are nursery-grown ; in this type, collected.

	Per doz.	100	1,000
<b>Rosa Carolina.</b> 2 years transplanted . . . . .	\$0 75	\$3 00	
“ “ (Collected) . . . . .	60	2 00	\$18 00
“ <b>lucida.</b> 2 years, transplanted . . . . .	75	4 00	35 00
“ “ (Collected) . . . . .	50	2 00	18 00
“ <b>nitida.</b> 2 years, transplanted . . . . .	I 25	7 50	
“ <b>Blanda.</b> 2 years, transplanted . . . . .	80	6 00	
“ <b>setigera.</b> Transplanted layers . . . . .	I 25	8 00	
“ <b>humilis.</b> (Collected) . . . . .	75	3 00	25 00
<b>Rhododendron maximum.</b> 2 years, transplanted; 12 to 15 in., not much branched . . . . .	I 25	6 00	
<b>Rhododendron maximum.</b> Collected seedlings, 6 to 12 in. .	75	2 25	18 00
“ “ Extra large collected specimens, 2 to 6 ft. Price on application .			
<b>Symphoricarpos vulgaris.</b> 2 to 3 ft., transplanted .	75	3 00	25 00
“ “ 18 to 24 in., “ .	60	2 50	20 00
“ “ 12 to 18 in., “ .	50	2 00	16 00
“ <b>racemosa.</b> 1 ft. . . . .	75	3 50	30 00
<b>Spiraea tomentosa.</b> 1 to 2 ft., transplanted . . . . .	75	2 50	20 00
“ “ (Collected) . . . . .	60	2 00	15 00
“ “ <b>alba.</b> Transplanted . . . . .	I 00	6 00	
“ <b>salicifolia.</b> (Collected) . . . . .	60	3 00	20 00
<b>Staphylea trifolia.</b> (Collected) . . . . .	60	3 00	25 00
<b>Sassafras officinalis.</b> 4 to 6 ft.; transplanted; bushy .	I 50		
“ “ (Collected) . . . . .	50	2 00	18 00
<b>Smilax rotundifolia.</b> (Collected) . . . . .	40	2 00	15 00
“ <b>Walterii.</b> (Collected) . . . . .	I 00	6 00	
<b>Tecoma radicans.</b> (Nursery) . . . . .	50	2 50	20 00
<b>Vaccinium corymbosum.</b> 2 years, transplanted . . .	80	4 00	
“ “ (Collected) . . . . .	60	3 00	25 00
“ <b>Pennsylvanicum.</b> (Collected) . . . . .	60	3 00	25 00
“ <b>vacillans.</b> (Collected) . . . . .	60	2 00	15 00
“ <b>stamineum.</b> 2 years, transplanted . . . . .	80	5 00	
“ “ (Collected) . . . . .	75	4 00	30 00
“ <b>macrocarpon.</b> (Collected) . . . . .	50	1 50	10 00
<b>Viburnum acerifolium.</b> (Collected) . . . . .	60	3 00	25 00
“ <b>dentatum.</b> 3 to 4 ft., transplanted . . . . .	I 00	7 50	
“ “ 2 to 3 ft., transplanted . . . . .	80	5 00	
“ “ (Collected) . . . . .	60	3 50	30 00
“ <b>prunifolium.</b> (Collected) . . . . .	60	3 00	25 00
“ <b>cassinoides.</b> 1 to 2 ft., transplanted . . . . .	75	5 00	
“ “ (Collected) . . . . .	60	3 50	30 00
“ <b>nudum.</b> (Collected) . . . . .	60	3 00	25 00
“ <b>pubescens.</b> (Collected) . . . . .	75	4 00	
<b>Xanthoxylum Americanum.</b> 1 to 2 ft., trans. . .	80	5 00	
“ “ (Collected) . . . . .	75	4 00	30 00

## MISCELLANEOUS ARTICLES.

	Per large barrel	Per 10 barrels
<b>Fibrous Peat</b> . . . . .	\$0 80	\$8 00
<b>Rotted Peat</b> . . . . .	90	8 00
<b>Silver Sand</b> . . . . .	90	8 00
<b>Sphagnum Moss</b> . . . . .	80	7 50
<b>Green Moss, for decorating</b> . . . . .	I 00	9 00



DICENTRA CUCULLARIA. (See page 8.)